

N61165.AR.005341  
CNC CHARLESTON  
5090.3a

LETTER REGARDING SOUTH CAROLINA DEPARTMENT OF HEALTH AND  
ENVIRONMENTAL CONTROL REVIEW OF INITIAL GROUNDWATER ASSESSMENT  
REPORT RECEIVED 5 JUNE 2003 AND NO FURTHER ACTION (NFA) FOR BUILDING X-12  
FORMER ABOVE GROUND STORAGE TANK (AST) CNC CHARLESTON SC  
06/09/2003  
SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL



9 June 2003

PROMOTE PROTECT PROSPER

2600 Bull Street  
Columbia, SC 29201-1708

COMMISSIONER:  
C. Earl Hunter

BOARD:  
Bradford W. Wyche  
Chairman

Mark B. Kent  
Vice Chairman

Howard L. Brilliant, MD  
Secretary

Carl L. Brazell

Louisiana W. Wright

L. Michael Blackmon

Lawrence R. Chewning, Jr., DMD

Commander  
NAVFACENGCOM Southern Division  
Attn: Code ES24 (Gabriel Magwood)  
P.O. Box 190010  
North Charleston, SC 29419-9010

Re: CNB – BLDG X-12 (Former AST)  
**Site Identification # 01825**  
Initial Groundwater Assessment Report received 5 June 2003  
No Further Action  
Charleston County

Dear Mr. Magwood:

The Department has reviewed the referenced assessment report. As submitted, the report documents current and historical efforts to monitor soil and groundwater for hydrocarbon contamination at the subject site. Based on this review, it appears that maximum contaminant levels have not been exceeded in soil and/or groundwater at the site.

Based on the information and analytical data submitted, the Department recognizes that the Department of the Navy has adequately addressed the known environmental contamination identified on the property to date in accordance with the approved scope of work. Consequently, no further investigation is required at this time. Please note, this statement pertains only to the portion of the site addressed in the referenced report and does not apply to other areas of the site and/or any other potential regulatory violations. Furthermore, the Department retains the right to request further investigation if deemed necessary.

The monitoring well(s) may be permanently abandoned by a certified well driller licensed in South Carolina in accordance with the South Carolina Well Standards and Regulations, R.61-71 or properly maintained. Should you choose to abandon the well, please submit a well abandonment record to my attention no later than 30 September 2003. Should you choose to properly maintain the monitoring well, please notify me within 14 days of this correspondence.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-2893 (fax) or [bishopma@dhec.sc.gov](mailto:bishopma@dhec.sc.gov).

Sincerely,

Michael Bishop, Hydrogeologist  
Groundwater Quality Section  
Bureau of Water

Tom Knight, Manager  
Groundwater Quality Section  
Bureau of Water

cc: Trident District EQC  
Jerry Stamps– BLWM  
Brian Crawford, 1849 Ave. F, N. Charleston SC, 29405  
Technical File